

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Blow-Hard® O.S. Extra™
- **Article number:** F17080-0200
- **CAS Number:**
811-97-2
- **EC number:**
212-377-0
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Bel-Art Products
661 Route 23
Wayne, NJ 07470
(800) 423-5278
- **1.4 Emergency telephone number:** +1 (800) 457-4280

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



gas cylinder

Press. Gas C H280 Contains gas under pressure; may explode if heated.

-
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
R44: Risk of explosion if heated under confinement.
 - **Information concerning particular hazards for human and environment:** Not applicable.
-

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).
The substance is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS04

- **Signal word** Warning
- **Hazard statements**
H280 Contains gas under pressure; may explode if heated.

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: **Blow-Hard® O.S. Extra™**

(Contd. of page 1)

- **Precautionary statements**

P410+P403 Protect from sunlight. Store in a well-ventilated place.

- **Additional information:**

Asphyxiant gas.

EUH044 Risk of explosion if heated under confinement.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

- **Hazard description:**

- **WHMIS-symbols:**

A - Compressed gas



- **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 0

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 0

Fire = 0

Reactivity = 0

- **HMIS Long Term Health Hazard Substances**

Substance is not listed.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.1 Substances**

- **CAS No. Description**

811-97-2 Norflurane

- **Identification number(s)**

· **EC number:** 212-377-0

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

· **General information:** No special measures required.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: Blow-Hard® O.S. Extra™

(Contd. of page 2)

- **After skin contact:**
In cases of frostbite, rinse with plenty of water. Do not remove clothing.
Seek medical treatment in case of complaints.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Unlikely route of exposure.
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Frostbite
Nausea
Dizziness
Coughing
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Treat frost-bitten areas appropriately.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water fog or haze.
If aerosols are bursting, stay clear until bursting is completed. Aerosol containers can be projectiles when bursting.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Use personal protective equipment as required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: **Blow-Hard® O.S. Extra™**

(Contd. of page 3)

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

Pressurized container: Do not pierce or burn, even after use.

Wash hands before breaks and at the end of work.

- **Information about fire - and explosion protection:**

Protect from heat.

Prevent impact and friction.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in the original receptacle.

Avoid storage near extreme heat, ignition sources or open flame.

- **Information about storage in one common storage facility:** Store away from foodstuffs.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

| |
|----------------------------|
| 811-97-2 Norflurane |
|----------------------------|

| |
|--|
| WEEL (USA) Long-term value: 1000 ppm |
|--|

- **DNELs** No further relevant information available.

- **PNECs** No further relevant information available.

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: Blow-Hard® O.S. Extra™

(Contd. of page 4)

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Use only in well ventilated areas.

• **Respiratory protection:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

• **Protection of hands:**

Wear protective gloves to handle contents of damaged or leaking units.

Gloves should provide protection from freezing temperatures.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Eye protection:**



Safety glasses

• **Body protection:** Protection may be required for spills.

• **Limitation and supervision of exposure into the environment**

No further relevant information available.

• **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

• **9.1 Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form: Liquefied gas

Colour: Colourless

• **Odour:** Slight, ethereal

• **Odour threshold:** Not determined.

• **pH-value:** Not determined.

• **Change in condition**

Melting point/Melting range: Not Determined.

Boiling point/Boiling range: -26 °C (-15 °F)

• **Flash point:** Not applicable.

• **Flammability (solid, gaseous):** Not determined.

• **Auto/Self-ignition temperature:** Not determined.

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: Blow-Hard® O.S. Extra™

(Contd. of page 5)

- **Decomposition temperature:** Not determined.
- **Self-igniting:** Not determined.
- **Danger of explosion:** Not determined.
- **Explosion limits:**
 - Lower: Not determined.
 - Upper: Not determined.
- **Vapour pressure at 25 °C (77 °F):** 4730 mmHg
- **Density:** 1,21 g/cm³ (10,097 lbs/gal)
- **Relative density:** Not determined.
- **Vapour density at 25 °C (77 °F)** 3,18 (Air = 1)
- **Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with water at 25 °C (77 °F):** 67 mg/l
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic: Not determined.
 - Kinematic: Not determined.
- **9.2 Other information:** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
Pressurized container: Do not pierce or burn, even after use.
- **10.3 Possibility of hazardous reactions**
Danger of receptacles bursting because of high vapour pressure when heated.
- **10.4 Conditions to avoid:** Excessive heat.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Hydrogen fluoride
Carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect:**
- **on the skin:** No irritant effect.

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: Blow-Hard® O.S. Extra™

(Contd. of page 6)

- **on the eye:** No irritating effect.
- **Sensitisation:** No sensitising effects known.
- **Additional toxicological information:** Asphyxiant gas.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** Does not accumulate in organisms.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Avoid transfer into the environment.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Contact waste processors for recycling information.
Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number**
- **DOT, ADR, IMDG, IATA** UN3159
- **14.2 UN proper shipping name**
- **DOT, IATA** 1,1,1,2-Tetrafluoroethane
- **ADR** 3159 1,1,1,2-TETRAFLUOROETHANE
(REFRIGERANT GAS R 134a)
- **IMDG** 1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT
GAS R 134a)
- **14.3 Transport hazard class(es)**
- **DOT**



- **Class** 2.2

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: Blow-Hard® O.S. Extra™

(Contd. of page 7)

· Label 2.2

· ADR



· Class 2.2 2A

· Label 2.2

· IMDG, IATA



· Class 2.2

· Label 2.2

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· Danger code (Kemler): 20

· EMS Number: F-C,S-V

· 14.7 Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 120 ml

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· Transport category 3

· Tunnel restriction code C/E

· IMDG

· Limited quantities (LQ) 120 ml

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN3159, 1,1,1,2-TETRAFLUOROETHANE
(REFRIGERANT GAS R 134a), 2.2

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: Blow-Hard® O.S. Extra™

(Contd. of page 8)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

- **Section 355 (extremely hazardous substances):**

Substance is not listed.

- **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

- **TSCA (Toxic Substances Control Act):**

Substance is listed.

- **Proposition 65 (California):**

- **Chemicals known to cause cancer:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

- **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

- **Chemicals known to cause developmental toxicity:**

Substance is not listed.

- **Carcinogenic Categories**

- **EPA (Environmental Protection Agency)**

Substance is not listed.

- **IARC (International Agency for Research on Cancer)**

Substance is not listed.

- **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

- **Canada**

- **Canadian Domestic Substances List (DSL)**

Substance is listed.

- **Canadian Ingredient Disclosure list (limit 0.1%)**

Substance is not listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

Substance is not listed.

- **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date 16.02.2015

Revision: 16.02.2015

Trade name: Blow-Hard® O.S. Extra™

(Contd. of page 9)

· **Substances of very high concern (SVHC) according to REACH, Article 57**

Substance is not listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Press. Gas C: Gases under pressure: Compressed gas

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com